

Ten behoeve van het koppelen van cloud storage (argeweb databird) via de linux cli de volgende procedure:

[Webdav](#)

# Ubuntu

## Install davfs2:

```
sudo apt-get install davfs2
```

## To mount as a non-root user:

Note: Must run `dpkg-reconfigure davfs2` according to `/usr/share/doc/davfs2/README.Debian` to get around “`/sbin/mount.davfs: program is not setuid root`” issue when trying to mount as non-root user.

Note: Add `ignore_home kernoops` to `/etc/davfs2/davfs2.conf` to get around the “`/sbin/mount.davfs: / is the home directory of user kernoops`” error.

## Add an entry in fstab:

```
http://example.org/dav /media/dav davfs noauto,user 0 0
```

## Add your user to the davfs group:

```
sudo adduser <user> davfs
```

Make sure WebDAV connection credentials are in `~/.davfs2/secrets` with restrictive permissions (`chmod 600`):

```
/media/dav webdav-username password
```

## Perform mount/unmount:

```
mount /media/dav
umount /media/dav
```

References: `man mount.davfs2`

From:

<https://studie.famvisser.net/> - **Studie Pagina Chavoerah Maqor**

Permanent link:

[https://studie.famvisser.net/doku.php?id=li\\_webdav&rev=1396449113](https://studie.famvisser.net/doku.php?id=li_webdav&rev=1396449113)

Last update: **2022/05/06 21:58**

